Index

A

Abnormalities, congenital, effect of maternal protein restriction, in young rats, 167.

Absorption, zinc, by calves, effect of protein source and feeding method, 386.

ADAMS, MILDRED. See Lakshmanan, Florence L., 117.

ALAM, S. Q. See Boctor, A. M., 317.

Albumin, serum, of squirrel monkey and zinc deficiency, 499.

Alcaptonuria in rats fed threonine and glycine supplements, 317.

ALEXANDER, J. CRAIG. See Nolen, Granville A., 337.

ALI, R., AND J. L. EVANS. Effect of dietary calcium, buffering capacity, lactose and EDTA on pH of and calcium absorption from gastrointestinal segments in the growing rat, 273.

Allylamine, complex formation with pyridoxal phosphate and inhibition of GO-T and GP-T of human serum and rat liver by allylamine, 280.

Alopecia, unidentified trace element deficiency, 182.

ALVARADO, JORGE. See Bressani, Ricardo, 349.

Amino acid, free plasma, levels for estimating amino acid requirements of growing rat, 21.

— — diets, destruction of molar teeth in rats, 189.

— — diet, unidentified inorganic trace factors, controlled environment system, 182.

— — and cortisol, effects on tyrosine toxicity in rats, 317.

— —, free, ammonia and urea concentrations in blood plasma of starved lambs, 561.

— — imbalance or deficiency (Letters), 584.

— —, utilization from protein by weanling pigs, 368.

Aminogram, plasma, assessment of protein nutrition of men, 135.

6-Aminonicotinamide and added vitamin A, effect on fusion of embryonic rat palates in vitro, 252.

Ammonia in blood plasma of starved lambs, 561.

Anemia in newborn pigs of copper-deficient swine, 438.

Aneurism, aortic, and copper deficiency in guinea pigs, 533.

Arginine-lysine antagonism in chicks: effect of lysine on digestion, kidney arginase and liver transaminase, 103.

ARMSTRONG, W. D. See Vogel, J. J., 425.

ARTMAN, NEIL R. See Nolen, Granville A., 337.

Authors, Guide for, 126.

B

BABCOCK, M. J., AND R. A. MARKLEY. Utilization of amino acids from protein by weanling pigs, 368.

BALASSA, JOSEPH J. See Schroeder, Henry A., 331.

BALTZER, B. V. See Hendricks, D. G., 37.

BARLOW, R. M. See Cancilla, P. A., 438.

BARNEY, G. H., M. P. MACAPINLAC, W. N. PEARSON AND W. J. DARBY. Parakeratosis of the tongue — a unique histopathologic lesion in the zinc-deficient squirrel monkey, 511.

BARNEY, G. H. See Macapinlac, M. P., 499.

Beans, red kidney, toxicity in the rat, 77.

Beetle, Confused Flour, interrelations among copper, zinc and cadmium in diet, 307.

BELL, M. C. See Hembry, F. G., 175.

BENEVENGA, N. J., AND A. E. HARPER. Alleviation of methionine and homocystine toxicity in the rat, 44.

BERDANIER, CAROLYN D., MIRIAM K. BRUSH AND HANS FISHER. Significance of the endogenous nitrogen excretion in protein evaluation studies with rats, 411.

BING, FRANKLIN C. Lydia Jane Roberts, biographical sketch, 3.

Biological value calculated from endogenous nitrogen excretion and protein intake, in rats, 411.

— — of selenium in bovine milk for rat and chick, 14.

BIRD, F. H. See Fearon, J. R., 198.

BISWAS, D. K. See Venkataraman, S., 131.

BLACKMON, D. M. See Powell, G. W., 203.

Blood clotting parameters and mortality in rats fed thrombogenic diets, effect of unsaturated fatty acid supplements, 393.

BOCTOR, A. M., S. Q. ALAM, Q. R. ROGERS AND A. E. HARPER. Some effects of amino acids and cortisol on tyrosine toxicity in the rat, 317.

BOYD, ELDON M., C. J. KRIJNEN AND JOSEF M. PETERS. Lethal amounts of casein, casein salts and hydrolyzed casein given orally to albino rats, 429.

BRAHAM, J. E., R. JARQUIN, R. BRESSANI, J. M. GONZALEZ AND L. G. ELIAS. Effect of gossypol on the iron-binding capacity of serum in swine, 241.

Brain abnormalities in newborn copper-deficient guinea pigs, 533.

BRESSANI, RICARDO, FERNANDO VITERI, LUIZ G. ELIAS, SILVIA DE ZAGHI, JORGE ALVARADO AND A. D. ODELL. Protein quality of a soybean-protein textured food in experimental animals and children, 349.

BRESSANI, R. See Braham, J. E., 241.

BRIGGS, G. M. See Liu, Katherine C., 480.

BRIN, MYRON, AND V. F. THIELE. Relationships between vitamin B_6-vitamer content and the activities of two transaminase enzymes in rat tissues at varying intake levels of vitamin B_6, 213.

BRUSH, MIRIAM K. See Berdanier, Carolyn D., 411.

Buffering capacity, effect on pH of and calcium absorption from gastrointestinal segments in growing rat, 273.

BURNETT, PHILIP C. See Jones, James D., 103.

Butter, fat disappearance, U. S. 1909–65, (Suppl. 1), 17.

C

Cadmium and EDTA, dietary, effects on absorption, excretion and retention of orally administered ^{65}Zn by normal and zinc-deficient goats and calves, 203.
— in rat tissues as influenced by calcium in water, 331.
—, transmural movements by rat small intestine, 291.
—, zinc and copper in diet of Confused Flour Beetle, interrelations, 307.
Calcification, renal and cardiac, in magnesium-deficient rats, 87.
—, renal, and mineral metabolism of rat, effects of thyroid hormone and phosphorus loading, 361.
Calcium absorption from and pH of gastrointestinal segments in growing rat, effect of dietary calcium, buffering capacity, lactose and EDTA, 273.
—, dietary, buffering capacity, lactose and EDTA, effect on pH of and calcium absorption from gastrointestinal segments in growing rat, 273.
Calcium-47, intestinal absorption and body retention in rats, evaluation of method, 454.
Calcium, intestinal distribution in calves, effect of ration, 283.
— in water, influence on trace metals in rat tissue, 331.
— status studies on adult sheep, 475.
CALL, DAVID L., AND ANN MACPHERSON SANCHEZ. Trends in fat disappearance in the United States 1909–65, (Suppl. 1), 1.
Calves, effect of ration upon intestinal distribution of Ca, Mg, Na, K and N, 283.
—, zinc-deficient and normal, effects of dietary EDTA and cadmium on absorption, retention and excretion of orally administered ^{65}Zn, 203.
CANCILLA, P. A., R. M. BARLOW, N. WEISSMAN, W. F. COULSON AND W. H. CARNES. Dietary production of congenital copper deficiency in swine, 438.
Carbohydrase, intestinal, activity and carbohydrate utilization in mature sheep, 175.
Carbohydrate and nitrogen sources, influence on rumen volatile fatty acids and ethanol of cattle fed purified diets, 222.
—, dietary, effect on serum protein components of two strains of rats, 117.
— -free diets, metabolic effects in chicks, 31.
—, protein as precursor in chicks, 25.
CARDI, ETTORE. See György, Paul, 568.
Caries, dental, in hamsters and rats, effect of various sugars and sugar substitutes, 65.
CARNES, W. H. See Cancilla, P. A., 438.
Carotene (beta-), yellow pigments excreted by vitamin A-depleted sheep, 518.
β-Carotene vs. retinyl acetate for baby pig, effect on ergocalciferol requirement, 37.
Casein and gluten utilization, effect of protein level in weanling rats, 579.
— as protein source, and feeding method, effect on zinc absorption by calves, 386.
—, casein salts and hydrolyzed casein, lethal amounts for albino rats, 429.
— compared with protein quality in a soybean protein textured food, 349.
—, low, diet, morphological and respiratory changes in rat liver mitochondria, 263.
Cattle, influence of carbohydrate and nitrogen sources on rumen volatile fatty acids and ethanol, 222.
Census Bureau, reporting of fat disappearance, U. S. 1909–65, (Suppl. 1), 22.
CHAKRABARTY, KRISHNA. See Leveille, Gilbert A., 546.
Chick, biological value of selenium in bovine milk, 14.
Chickens, antidystrophic effect of selenium on chicks from vitamin E-depleted hens, 470.
—, dietary fat and cholesterol on in vivo incorporation of acetate-^{14}C into hen liver and ovarian lipids, 142.
—, effect of propionate on induction of vitamin B_{12} deficiency, 131.
—, effect of raw and heated soybean meal and soybean trypsin inhibitors on activity of protein-catabolism enzymes in kidney and liver, 401.
Chicks, effect of lysine on digestion, kidney arginase, and liver transamidinase, 103.
—, metabolic effects of feeding "carbohydrate-free" diets, 31.
—, protein as carbohydrate precursor, 25.
—, upper intestinal tract infection produced by *E. acervulina* and absorption of ^{65}Zn and ^{131}I-labeled oleic acid, 161.
—, zinc·phytate complexes isolated from oil seed meals by in vitro digestion method, availability, 523.
Children, protein quality of a soybean protein textured food, 349.
Cholesterol and fat, dietary, effect on in vitro incorporation of acetate-^{14}C into hen liver and ovarian lipids, 142.
Cholesterolemia (hyper-), homocystine, and dietary hepatic injury in rats, 568.
Chromium in rat tissues as influenced by calcium in water, 331.
—, low, diets and eye lesions in rats, 249.
COOK, C. F. See Leibholz, Jane, 561.
Copper deficiency, congenital, in swine, dietary production, 438.
— deficiency in guinea pigs, 533.
— in rat tissues as influenced by calcium in water, 331.
—, zinc and cadmium in diet of Confused Flour Beetle, interrelations, 307.
Corneal opacity in rats fed low chromium diet, 249.
Corn protein, for adult men, nonspecific nitrogen supplementation of, time, stress, quality and quantity as factors, 377.
Cortisol, effect on tyrosine toxicity in rats, 317.
Cottonseed oil, long-term rat feeding study with used frying fats, 337.
COULSON, W. F. See Cancilla, P. A., 438.
CRAGLE, R. G. See Perry, S. C., 283.

D

DARBY, W. J. See Barney, G. H., 511.
DARBY, W. J. See Macapinlac, M. P., 499.
DARBY, W. J., JR. See Pearson, W. N., 491.

Deficiency, copper, congenital, in swine, dietary production, 438.
Degeneration, muscular, in rats, vitamin E and magnesium deficiency, 87.
Degradation and excretion of riboflavin in rats, 445.
Depigmentation of incisors in vitamin E-deficient, magnesium-deficient rats, 87.
Development of young rats, effect of maternal protein restriction, 167.
DE ZAGHI, SILVIA. See Bressani, Ricardo, 349.
Diet, low chromium, eye lesion in rats, 249.
Diets, thromogenic, fed to rats, effect of unsaturated fatty acid supplements on mortality and clotting parameters, 393.
Digestion, in vitro, method, availability to chicks of zinc·phytate complexes isolated from oil seed meals, 523.
Dogs, protein-textured soybean protein food, protein quality in experimental animals, 349.
DONALD, ELIZABETH A. See Johnston, Frances A., 310.
DONOSO, GONZALO. See Tagle, María Angélica, 579.
DROR, Y., AND A. GERTLER. Influence of raw and heated soybean meal and of soybean trypsin inhibitors on the activity of certain protein-catabolism enzymes in kidneys and livers of chicks and rats, 401.

E

E. acervulina production of upper intestinal tract infection and absorption of ^{65}Zn and ^{131}I-labeled oleic acid in chicks, 161.
EDTA and cadmium, dietary, effects on absorption, excretion and retention of orally aminisitered ^{65}Zn by normal and zinc-deficient goats and calves, 203.
Egg-yolk lipids, effect of dietary fat and D-thyroxine on incorporation of acetate-1-^{14}C, 153.
Eicosadienoic (*cis*-11,*cis*-14- and *trans*-11,*trans*-14-) acids, metabolism in the rat, 485.
ELCOMBE, A. M. See Renner, Ruth, 25, 31.
ELIAS, L. G. See Braham, J. E., 241.
ELIAS, LUIZ G. See Bressani, Ricardo, 349.
Energy storage and glycogen in meal-fed and nibbling rats, 541.
Environment, controlled, system for new trace element deficiencies, 182.
Enzymes, protein-catabolism, in liver and kidney of chicks and rats, effect of raw and heated soybean meal and trypsin inhibitor, 401.
—, rat liver, alterations in activities at various times after initiation of high protein regimen, 301.
Equation for prediction of net protein utilization from protein score and concentration, in rats, 579.
Ergocalciferol requirement, effect of β-carotene vs. retinyl acetate for baby pig, 37.
Ethanol and rumen volatile fatty acids of cattle fed purified diets, influence of carbohydrate and nitrogen sources, 222.
EVANS, J. L. See Ali, R., 273.
EVERSON, GLADYS J., HUAN-CHANG CHOW TSAI AND TONG-IN WANG. Copper deficiency in the guinea pig, 533.
EWEN, LILIAN M., AND K. J. JENKINS. Antidystrophic effect of selenium and other agents on chicks from vitamin E-depleted hens, 470.
Eye lesion in rats fed low chromium diets, 249.

F

Fat and cholesterol, dietary, effect on in vitro incorporation of acetate-^{14}C into hen liver and ovarian lipids, 142.
— and D-thyroxine, dietary, effect on incorporation of acetate-1-^{14}C into egg yolk lipids, 153.
— disappearance, trends since 1940, (Suppl. 1), 11.
—, trends in disappearance in the U. S. 1909–65, (Suppl. 1), 1.
— and oils, food, changes in method of estimating disappearance, U. S. 1909–65, (Suppl. 1), 22.
—, frying, used, long-term rat feeding study, 337.
Fatty acid, unsaturated, supplements, effect on mortality and clotting parameters in rats fed thrombogenic diets, 393.
Fatty acids, disappearance data, U. S. 1909–65, (Suppl. 1), 12.
— —, volatile, rumen, and ethanol of cattle fed purified diets, influence of carbohydrate and nitrogen sources, 222.
FEARON, J. R., AND F. H. BIRD. Site and rate of active transport of L-lysine in the intestine of the fowl, 198.
Feed efficiency of meal-fed vs. nibbling rat, 546.
FISHER, HANS. See Berdanier, Carolyn D., 411.
FISHER, HANS. Amino acid imbalance or deficiency (Letters), 584.
Fluoride fed with amino acid diet more effective than penicillin in preventing dental erosion in rats, 189.
— intake, dietary, varying, skeletal magnesium changes, 425.
— vs. penicillin fed with amino acid diets, effect on dental erosion in rats, 189.
Food fats and oils, per capita production, U. S. 1909–65, (Suppl. 1), 15.
—, protein-textured soybean protein, protein quality in experimental animals and children, 349.
FORBES, R. M. See Meyer, D. L., 361.
Fowl intestine, rate of active transport and site of L-lysine, 198.
FOX, HAZEL METZ. See Kies, Constance, 377.
FREEDLAND, R. A. See Szepesi, B., 301.
FROSTELL, GORAN, PAUL H. KEYES AND RACHEL H. LARSON. Effect of various sugars and sugar substitutes on dental caries in hamsters and rats, 65.
Frying fats, used, long-term feeding study with rats, 337.

G

GARDNER, R. W., AND D. E. HOGUE. Milk levels of selenium and vitamin E related to nutritional muscular dystrophy in the suckling lamb, 418.
Germfree and conventional rats, absorption and metabolism of dietary triglycerides, 324.
GERTLER, A. See Dror, Y., 401.
Glucuronide, natural occurrence and biological activity of vitamin A derivatives in rat bile, 461.

Glutamic-oxaloacetic transaminase activity and vitamin B_6-vitamer content in rat tissues at varying intake levels of vitamin B_6, 213.
Glutamic-oxaloacetic transaminase and glutamic-pyruvic transaminase inhibition, and complex formation of allylamine, of human serum and rat liver by allylamine, 280.
Glutamic-pyruvate transaminase activity and vitamin B_6-vitamer content in rat tissues at varying intake levels of vitamin B_6, 213.
Gluten and casein utilization, effect of protein level in weanling rats, 579.
Glycerol-free diet, supplemental protein, growth in chicks, 25.
Glycine and serine for alleviation of methionine and homocystine toxicity in rats, 44.
Glycogen, tissue, and liver weight of meal-fed rats, diurnal variations, 541.
Goats, zinc-deficient and normal, effects of dietary EDTA and cadmium on absorption, retention and excretion of orally administered ^{65}Zn, 203.
GOLDSMITH, LOWELL A. Relative magnesium deficiency in the rat, 87.
GONZALEZ, J. M. See Braham, J. E., 241.
Gossypol, iron-binding capacity of serum in swine, 241.
Growth and maturation, depressing effect on intestinal absorption and whole body retention of ^{47}Ca in rats, 454.
— inhibition, unidentified trace element deficiency, 182.
—, skeletal magnesium changes in rat during varying dietary fluoride intake, 425.
Guide for authors, 126.
Guinea pig, copper deficiency, 533.
— —, thiamine requirement, 480.
GYORGY, PAUL, ETTORE CARDI, CATHARINE S. ROSE, MINORU HIROOKA AND BERNHARDT W. LANGER, JR. Lipid transport in experimental dietary hepatic injury in rats, 568.

H

HALL, R. F. See Hembry, F. G., 175.
HAMILTON, JAMES G. See Wiech, Norbert L., 324.
Hamsters, effect of various sugars and sugar substitutes on dental caries, 65.
HARADA, NAOKO. Morphological and respiratory changes in rat liver mitochondria resulting from a low casein diet, 263.
HARDING-BARLOW, I. See Sahagian, Benjamin M., 291.
HARPER, A. E. See Benevenga, N. J., 44.
HARPER, A. E. See Boctor, A. M., 317.
HEMBRY, F. G., M. C. BELL AND R. F. HALL. Intestinal carbohydrase activity and carbohydrate utilization in mature sheep, 175.
HENDRICKS, D. G., E. R. MILLER, D. E. ULLREY, R. D. STRUTHERS, B. V. BALTZER, J. A. HOEFER AND R. W. LUECKE. β-Carotene vs. retinyl acetate for the baby pig and the effect upon ergocalciferol requirement, 37.
Hepatic injury, dietary, lipid transport in rats, 568.
Herpes simplex infection, experimental, enhanced severity in mice fed protein-free diet, 555.
HERTOGHE, JACQUES J., SALLY B. PHINNEY AND MILTON E. RUBINI. Intestinal absorption and body retention of ^{47}Ca in rats: Evaluation of the method, 454.
HINTZ, H. F., D. E. HOGUE AND LENNART KROOK. Toxicity of red kidney beans (*Phaseolus vulgaris*) in the rat, 77.
HIROOKA, MINORU. See György, Paul, 568.
HOEFER, J. A. See Hendricks, D. G., 37.
HOGUE, D. E. See Gardner, R. W., 418.
HOGUE, D. E. See Hintz, H. F., 77.
HOGUE, D. E. See Mathias, M. M., 10.
Homocystine and methionine toxicity in the rat, alleviation, 44.
Horses, selenium requirement, and types of bedding in stalls, 60.
Hypoglycemia, red kidney bean toxicity in rats, 77.

I

ILLMAN, W. I. See McLaughlan, J. M., 21.
Index of body retention and intestinal absorption of calcium in rats, evaluation of method, 454.
Infection, *herpes simplex*, experimental, enhanced severity in mice fed protein-free diet, 555.
—, upper intestinal tract, produced by *E. acervulina* and absorption of ^{65}Zn and ^{131}I-labeled oleic acid in chicks, 161.
Instructions for authors, 126.
Insulin, decreased secretion by germfree rats, 324.
Intestinal carbohydrase activity and carbohydrate utilization in mature sheep, 175.
Intestine, fowl, rate of active transport and site of L-lysine in, 198.
Iron-binding capacity of serum, effect of gossypol in swine, 241.
— metabolism and pyridoxine deficiency in the pregnant rat: maternal responses, 229.
Isolator, controlled environment system for new trace element deficiencies, 182.
Isoniazid, effect on urinary excretion of taurine by men, 310.

J

JARQUIN, R. See Braham, J. E., 241.
JENKINS, K. J. See Ewen, Lilian M., 470.
JOHNSON, B. CONNOR. See Venkataraman, S., 131.
JOHNSTON, FRANCES A., ELIZABETH A. DONALD AND NINA H. MERCER. Effect of isoniazid on the urinary excretion of taurine by men, 310.
JOHNSON, RALPH M. See Weiss, Joseph F., 142, 153.
JONES, JAMES D., SANDRA J. PETERSBURG AND PHILIP C. BURNETT. The mechanism of the lysine-arginine antagonism in the chick: Effect of lysine on digestion, kidney arginase, and liver transamidinase, 103.

K

KATZ, MICHAEL, AND STANLEY A. PLOTKIN. Enhanced severity of experimental *herpes simplex* infection in mice fed a protein-free diet, 555.
KEYES, PAUL H. See Frostell, Göran, 65.
KIES, CONSTANCE, HAZEL METZ FOX AND ELEANOR R. WILLIAMS. Time, stress, quality, and quantity as factors in the nonspecific nitrogen supplementation of corn protein for adult men, 377.

KING, K. W. Amino acid imbalance or deficiency (Letters), 584.
KIRKSEY, AVANELLE, AND MARY H. TABACCHI. Pyridoxine deficiency and iron metabolism in the pregnant rat: Maternal responses, 229.
KITAGAWA, MICHIHIRO. See Kuzuya, Fumio, 280.
KNAUSS, H. J., AND A. L. SHEFFNER. Effect of unsaturated fatty acid supplements upon mortality and clotting parameters in rats fed thrombogenic diets, 393.
KRIJNEN, C. J. See Boyd, Eldon M., 429.
KROOK, LENNART. See Hintz, H. F., 77.
KUZUYA, FUMIO, MICHIHIRO KITAGAWA AND KOZO YAMADA. Complex formation of allylamine with pyridoxal phosphate and inhibition of GO-T and GP-T of human serum and rat liver by allylamine, 280.

L

Lactose, dietary calcium, buffering capacity and EDTA, effect on pH of and calcium absorption from gastrointestinal segments in growing rat, 273.
LAKSHMANAN, FLORENCE L., ERNEST M. SCHUSTER AND MILDRED ADAMS. Effect of dietary carbohydrate on the serum protein components of two strains of rats, 117.
Lambs, milk levels of selenium and vitamin E related to nutritional muscular dystrophy, 418.
—, starved, free amino acids, ammonia and urea concentrations in blood plasma, 561.
LANGER, BERNHARDT W., JR. See György, Paul, 568.
Lard, fat disappearance, U. S. 1909–65, (Suppl. 1), 17.
—, long-term rat feeding study with used frying fats, 337.
LARSON, RACHEL H. See Frostell, Göran, 65.
LD_{50} values for casein, casein salts and hydrolyzed casein given to albino rats, 429.
Lead in rat tissues as influenced by calcium in water, 331.
LEASE, J. G. Availability to the chick of zinc phytate complexes isolated from oil seed meals by an in vitro digestion method, 523.
LEE, MELVIN. See Myers, Gordon S., 252.
LEIBHOLZ, JANE, AND C. F. COOK. Free amino acids, ammonia and urea concentrations in the blood plasma of starved lambs, 561.
Lesions, pathological, effects of amino acids and cortisol on tyrosine toxicity in rats, 317.
Letters — Amino acid imbalance or deficiency, 584.
LEVEILLE, GILBERT A., AND EUGENE KEVIN O'HEA. Influence of periodicity of eating on energy metabolism in the rat, 541.
LEVEILLE, GILBERT A., AND KRISHNA CHAKRABARTY. Diurnal variations in tissue glycogen and liver weight of meal-fed rats, 546.
LINKSWILER, HELEN. See Miller, Lorraine T., 53.
Lipid transport in experimental dietary hepatic injury in rats, 568.
LITTLE, C. O. See Tucker, R. E., 518.
LIU, KATHERINE C., J. T. TYPPO, JOSEPHINE Y. LU AND G. M. BRIGGS. Thiamine requirement of the guinea pig and the effect of salt mixtures in the diets on thiamine stability, 480.
Liver injury in rats and lipid transport, 568.
— transamidinase, kidney arginase, digestion in chicks, effect of lysine, 103.
— weight and tissue glycogen of meal-fed rats, diurnal variations, 541.
LOOSLI, J. K. See Mathias, M. M., 10.
LUECKE, R. W. See Hendricks, D. G., 37.
LU, JOSEPHINE Y. See Liu, Katherine C., 480.
Lysine-arginine antagonism in chicks: Effect of lysine on digestion, kidney arginase and liver transaminase, 103.
— concentration, increased, in starved lambs, 561.
— (L-), site and rate of active transport in fowl intestine, 198.

M

MACAPINLAC, M. P., G. H. BARNEY, W. M. PEARSON AND W. J. DARBY. Production of zinc deficiency in the squirrel monkey (*Saimiri sciureus*), 499.
MACAPINLAC, M. P. See Barney, G. H., 511.
Magnesium deficiency, relative, in the rat, 87.
—, intestinal distribution in calves, effect of ration, 283.
—, skeletal, changes in rat during varying dietary fluoride intake and growth, 425.
Manganese in rat tissues as influenced by calcium in water, 331.
—, transmural movements by rat small intestine, 291.
Margarine, fat disappearance, U. S. 1909–65, (Suppl. 1), 17.
MARKLEY, R. A. See Babcock, M. J., 368.
MASANA, YOUKO. See Nakagawa, Itsiro, 135.
MATHIAS, M. M., D. E. HOGUE AND J. K. LOOSLI. The biological value of selenium in bovine milk for the rat and chick, 14.
MCCORMICK, DONALD B. See Yang, Chung-Shu, 445.
MCLAUGHLAN, J. M., AND W. I. ILLMAN. Use of free plasma amino acid levels for estimating amino acid requirements of the growing rat, 21.
Meal-eating and nibbling rats, effect of periodicity of eating on energy metabolism, 546.
Meal-fed rats, diurnal variations in tissue glycogen and liver weight, 541.
Meat, fat disappearance, U. S. 1909–65, (Suppl. 1), 17.
MEDICI, JOHN C., AND M. WIGHT TAYLOR. Interrelationships among copper, zinc, and cadmium in the diet of the Confused Flour Beetle, 307.
Men, adult, time, stress, quality and quantity as factors in nonspecific nitrogen supplementation of corn protein, 377.
—, assessment of nutritional status: protein, 135.
—, effect of isoniazid on urinary excretion of taurine, 310.
Metals, trace, in rat tissues as influenced by calcium in water, 331.
—, transmural movement by rat small intestine, 291.
MERCER, NINA H. See Johnston, Frances A., 310.
MERTZ, WALTER. See Roginski, Edward E., 249.
Metabolism, energy, in the rat, influence of periodicity of eating, 546.
—, in chicks, with carbohydrate-free diet, 31.
— of eicosadienoic acids in the rat, 485.

—, tryptophan, abnormal, development, effect of protein intake by men during vitamin B_6 depletion, 53.
Methionine and homocystine toxicity in the rat, alleviation, 44.
Method, feeding, and protein source, effect on zinc absorption by calves, 386.
Methods, free plasma amino acid levels for estimating amino acid requirements of growing rat, 21.
Methodology for analysis of fat disappearance, U. S. 1909–65, (Suppl. 1), 3.
MEYER, D. L., AND R. M. FORBES. Effects of thyroid hormone and phosphorus loading on renal calcification and mineral metabolism of the rat, 361.
Mice fed protein-free diet, enhanced severity of experimental *herpes simplex* infection, 555.
Milk, bovine, biological value of selenium for rat and chick, 14.
Milk levels of selenium and vitamin E related to nutritional muscular dystrophy in the suckling lamb, 418.
Milk, protein quality compared with that of a soybean protein textured food, 349.
MILLER, E. R. See Hendricks, D. G., 37.
MILLER, J. K. Effect of protein source and feeding method on zinc absorption by calves, 386.
MILLER, J. K. See Perry, S. C., 283.
MILLER, LORRAINE T., AND HELEN LINKSWILER. Effect of protein intake on the development of abnormal tryptophan metabolism by men during vitamin B_6 depletion, 53.
MILLER, O. NEAL. See Wiech, Norbert L., 324.
MILLER, W. J. See Powell, G. W., 203.
Mineral metabolism and renal calcification of rat, effects of thyroid hormone and phosphorus loading, 361.
— mixtures in diet, effect of thiamine on stability, and thiamine requirement of the guinea pig, 480.
MITCHELL, G. E., JR. See Tucker, R. E., 518.
Mitochondria, rat liver, morphological and respiratory changes resulting from low casein diet, 263.
Monkey, squirrel, zinc deficiency, 499.
Mortality and clotting parameters in rats fed thrombogenic diets, effect of unsaturated fatty acid supplements, 393.
Muscular dystrophy, nutritional, antidystrophic effect of selenium on chicks from vitamin E-depleted hens, 470.
— —, nutritional, in suckling lambs, milk levels of selenium and vitamin E, 418.
MYERS, GORDON S., NICHOLAS L. PETRAKIS AND MELVIN LEE. Effect of 6-aminonicotinamide and of added vitamin A on fusion of embryonic rat palates in vitro, 252.

N

NABER, EDWARD C. See Weiss, Joseph F., 142, 153.
NAKAGAWA, ITSIRO, AND YOUKO MASANA. Assessment of nutritional status of men: Protein, 135.
NASON, ALEXIS P. See Schroeder, Henry A., 331.
NATH, KAMALENDU, AND JAMES A. OLSON. Natural occurrence and biological activity of vitamin A derivatives in rat bile, 461.
NELSON, T. E., AND A. D. TILLMAN. Calcium status studies on adult sheep, 475.
Net protein utilization (NPU) of a soybean protein textured food, 349.
Nickel in rat tissues as influenced by calcium in water, 331.
Nitrogen and carbohydrate sources, influence on rumen volatile fatty acids and ethanol of cattle fed purified diets, 222.
Nitrogen, endogenous, significance of excretion in protein evaluation studies with rats, 411.
—, intestinal distribution in calves, effect of ration, 283.
—, nonspecific, supplementation of corn protein for adult men, time, stress, quality and quantity as factors, 377.
NOLEN, GRANVILLE A., J. CRAIG ALEXANDER AND NEIL S. ARTMAN. Long-term rat feeding study with used frying fats, 337.
NORDSTROM, JAMES W., AND E. L. R. STOKSTAD. Destruction of molar teeth in rats fed amino acid diets, 189.
Nutritional status of men: protein, 135.

O

ODELL, A. D. See Bressani, Ricardo, 349.
O'HEA, EUGENE KEVIN. See Leveille, Gilbert A., 541.
OLSON, JAMES A. See Nath, Kamalendu, 461.
OLTJEN, R. R. See Ørskov, E. R., 222.
ØRSKOV, E. R., AND R. R. OLTJEN. Influence of carbohydrate and nitrogen sources on the rumen volatile fatty acids and ethanol of cattle fed purified diets, 222.

P

Palates, rat, embryonic, effect of 6-aminonicotinamide and added vitamin A on fusion, 252.
Parakeratosis of the tongue — a unique histopathologic lesion in the zinc-deficient squirrel monkey, 511.
PEARSON, W. N., AND W. J. DARBY, JR. Catabolism of ^{14}C-labeled thiamine by the rat as influenced by dietary intake and body thiamine stores, 491.
PEARSON, W. N. See Barney, G. H., 511.
PEARSON, W. N. See Macapinlac, M. P., 499.
Penicillin vs. fluoride fed with amino acid diets, effect on dental erosion in rats, 189.
Perfusion apparatus for continual measurement of substances transported across rat intestinal wall, 291.
Periodicity of eating, influence on energy metabolism of rats, 546.
PERRY, H. MITCHELL JR. See Sahagian, Benjamin M., 291.
PERRY, S. C., R. G. CRAGLE AND J. K. MILLER. Effect of ration upon the intestinal distribution of Ca, Mg, Na, K and N in calves, 283.
PETERSBURG, SANDRA J. See Jones, James D., 103.
PETERS, JOSEF M. See Boyd, Eldon M., 429.
PETRAKIS, NICHOLAS L. See Myers, Gordon S., 252.
Phaseolus vulgaris, toxicity in the rat, 77.
PHINNEY, SALLY B. See Hertoghe, Jacques J., 454.
Phosphorus loading and thyroid hormone, effects on renal calcification and mineral metabolism in rat, 361.

Phosphorus, plasma and urine, in calcium status studies on mature sheep, 475.
Phytate-zinc complexes, isolated from oil seed meals by in vitro digestion method, availability to chicks, 523.
Pig, baby, β-carotene vs. retinyl acetate, effect on ergocalciferol requirement, 37.
Pigments, yellow, excreted by vitamin A-depleted sheep, 518.
Pigs, weanling, utilization of amino acids from protein, 368.
PLOTKIN, STANLEY A. See Katz, Michael, 555.
POWELL, G. W., W. J. MILLER AND D. M. BLACKMON. Effects of dietary EDTA and cadmium on absorption, excretion and retention of orally administered ^{65}Zn in various tissues of zinc-deficient and normal goats and calves, 203.
PRIVETT, O. S. See Stearns, E. M., Jr., 485.
Production, per capita, food fats and oils, U. S. 1909–65, (Suppl. 1), 15.
Propionate, effect on induction of vitamin B_{12} deficiency in chicks and rats, 131.
Protein, carbohydrate precursor in chicks, 25.
— -catabolism enzymes in kidney and liver of chicks and rats, effect of raw and heated soybean meal and soybean trypsin inhibitors, 401.
—, corn, for adult men, nonspecific nitrogen supplementation of, time, stress, quality and quantity as factors, 377.
— evaluation studies with rats, significance of endogenous nitrogen excretion, 411.
—, high, regimen, alterations in activities of rat liver enzymes at various times after initiation, 301.
— intake, effect on development of abnormal tryptophan metabolism by men during vitamin B_6 depletion, 53.
— level, effect on utilization of casein and gluten by weanling rats, 579.
—, nutritional status of men, 135.
— quality of a soybean protein textured food in experimental animals and children, 349.
— restriction, maternal, effect on young rat, 167.
—, serum, components of two strains of rats, effect of dietary carbohydrate, 117.
— source, effect on zinc absorption by calves, 386.
— utilization, net (NPU), prediction from protein score and concentration, in rats, 579.
—, utilization of amino acids from, by weanling pigs, 368.
Pyridoxal phosphate, complex formation with allylamine and inhibition of GO-T and GP-T of human serum and rat liver by allylamine, 280.
Pyridoxine deficiency and iron metabolism in the pregnant rat: maternal responses, 229.

R

Rat, alleviation of methionine and homocystine toxicity, 44.
— bile, natural occurrence and biological activity of vitamin A derivatives, 461.
—, biological value of selenium in bovine milk, 14.
—, catabolism of thiamine as influenced by dietary intake and body thiamine stores, 491.
—, dietary hepatic injury and lipid transport, 568.
—, effect of thyroid hormone and phosphorus loading on renal calcification and mineral metabolism, 361.
— feeding study, long-term with used frying fats, 337.
—, growing, effect of dietary calcium, buffering capacity, lactose and EDTA on pH of and calcium absorption from gastrointestinal segments, 273.
—, growing, free plasma amino acid levels for estimating amino acid requirements, 21.
— liver enzymes, alterations in activities at various times after initiation of high protein regimen, 301.
— liver mitochondria, morphological and respiratory changes resulting from low casein diet, 263.
—, metabolism of eicosadienoic acids, 485.
— palates, embryonic, effect of 6-aminonicotinamide and added vitamin A on fusion, 252.
—, pregnant, pyridoxine deficiency and iron metabolism: maternal responses, 229.
—, relative magnesium deficiency, 87.
—, skeletal magnesium changes during varying dietary fluoride intake and growth, 425.
— small intestine, transmural movements of zinc, manganese, cadmium and mercury, 291.
— tissues, vitamin B_6-vitamer content and activities of two transaminase enzymes, 213.
Ration, effect of protein source and feeding method on zinc absorption by calves, 386.
—, effect on intestinal distribution of Ca, Mg, Na, K and N in calves, 283.
Rats, effects of amino acids and cortisol on tyrosine toxicity, 317.
—, effect of dietary carbohydrate on serum protein components of two strains, 117.
—, effect of propionate on induction of vitamin B_{12} deficiency, 131.
—, effect of protein level on utilization of casein and gluten, 579.
—, effect of raw and heated soybean meal and soybean trypsin inhibitors on activity of protein-catabolism enzymes in kidney and liver, 401.
—, effect of various sugars and sugar substitutes on dental caries, 65.
— fed amino acid diets, destruction of molar teeth, 189.
— fed low chromium diets, eye lesion, 249.
— fed thrombogenic diets, effect of unsaturated fatty acid supplements on mortality and clotting parameters, 393.
—, germfree and conventional, absorption and metabolism of dietary triglycerides, 324.
—, meal-fed, diurnal variations in tissue glycogen and liver weight, 541.
—, nibbling, diurnal variations in tissue glycogen and liver weight, 541.
—, red kidney bean toxicity, 77.
Renal calcification and mineral metabolism of rat, effects of thyroid hormone and phosphorus loading, 361.
RENNER, RUTH, AND A. M. ELCOMBE. Metabolic effects of feeding "carbohydrate-free" diets to chicks, 31.

RENNER, RUTH, AND A. M. ELCOMBE. Protein as a carbohydrate precursor in the chick, 25.
Reproduction, effect of maternal protein restriction in rats, 167.
Requirement, "maintenance," of riboflavin for the rat, excretion vs. degradation, 445.
Respiratory changes resulting from low casein diet fed rats, 263.
Retinoyl β-glucuronide, natural occurrence and biological activity of vitamin A derivatives in rat bile, 461.
Retinyl acetate vs. β-carotene for baby pig, effect on ergocalciferol requirement, 37.
Riboflavin, degradation and excretion in the rat, 445.
ROBERTS, LYDIA JANE, biographical sketch, 3.
ROGERS, Q. R. See Boctor, A. M., 317.
ROGINSKI, EDWARD E., AND WALTER MERTZ. An eye lesion in rats fed low chromium diets, 249.
ROSE, CATHARINE S. See György, Paul, 568.
RUBINI, MILTON E. See Hertoghe, Jacques J., 454.
RYSAVY, J. A. See Stearns, E. M., Jr., 485.

S

Safflower seed, availability to chick of zinc·phytate complexes isolated from, by in vitro digestion method, 523.
SAHAGIAN, BENJAMIN M., I. HARDING-BARLOW AND H. MITCHELL PERRY, JR. Transmural movements of zinc, manganese, cadmium and mercury by rat small intestine, 291.
Salt mixtures in diet, effect of thiamine on stability, 480.
SANCHEZ, ANN MACPHERSON. See Call, David L., (Suppl. 1), 1.
SCHROEDER, HENRY A., ALEXIS P. NASON AND JOSEPH J. BALASSA. Trace metals in rat tissues as influenced by calcium in water, 331.
SCHUSTER, ERNEST M. See Lakshmanan, Florence L., 117.
SCHWARZ, KLAUS. See Smith, J. Cecil, 182.
Seborrhea, unidentified trace element deficiency, 182.
Selenium, antidystrophic effect on chicks from vitamin E-depleted hens, 470.
—, antidystrophic effect on vitamin E-depleted hens, 470.
— at milk levels and vitamin E related to nutritional muscular dystrophy in suckling lambs, 418.
—, biological value in bovine milk, for rat and chick, 14.
— requirement of horses and types of bedding in stalls, 60.
—, serum, and related parameters of naturally and experimentally fed horses, 60.
Serine and glycine for alleviation of methionine and homocystine toxicity in rats, 44.
Sesame meal, availability to chick of zinc·phytate complexes isolated from, by in vitro digestion method, 523.
Sheep, calcium status studies, 475.
—, mature, intestinal carbohydrase activity and carbohydrate utilization, 175.
—, vitamin A-depleted, excretion of yellow pigments, 518.
SHEFFNER, A. L. See Knauss, H. J., 393.
SINGER, LEON. See Vogel, J. J., 425.
SMITH, J. CECIL, AND KLAUS SCHWARZ. A controlled environment system for new trace element deficiencies, 182.
Sodium, intestinal distribution in calves, effect of ration, 283.
Soybean meal, raw and heated, and soybean trypsin inhibitors, effect on activity of protein-catabolism enzymes in kidneys and livers of chicks and rats, 401.
— oils, long-term rat feeding study with used frying fats, 337.
— protein and feeding method, effect on zinc absorption by calves, 386.
— protein, as carbohydrate precursor, in chicks, 25.
— protein ration, 10%, and corneal opacity in rats, 249.
— protein textured food, protein quality in experimental animals and children, 349.
Squirrel monkey, parakeratosis of the tongue — a unique histopathologic lesion in the zinc-deficient, 511.
STEARNS, E. M., JR., J. A. RYSAVY AND O. S. PRIVETT. Metabolism of *cis*-11, *cis*-14- and *trans*-11, *trans*-14-eicosadienoic acids in the rat, 485.
STEPHENS, J. F. See Turk, D. C., 161.
STOKSTAD, E. L. R. See Nordstrom, James W., 189.
STOWE, HOWARD D. Serum selenium and related parameters of naturally and experimentally fed horses, 60.
Stress, time, quality and quantity as factors in nonspecific nitrogen supplementation of corn protein for adult men, 377.
STRUTHERS, R. D. See Hendricks, D. G., 37.
Sugars and sugar substitutes, effect on dental caries in hamsters and rats, 65.
Swine, dietary production of congenital copper deficiency, 438.
—, gossypol and iron-binding capacity of serum, 241.
System, controlled environment, for new trace element deficiencies, 182.
SZEPESI, B., AND R. A. FREEDLAND. Alterations in the activities of several rat liver enzymes at various times after initiation of a high protein regimen, 301.

T

TABACCHI, MARY H. See Kirksey, Avanelle, 229.
TAGLE, MARIA ANGELICA, AND GONZALO DONOSO. Effect of protein level on utilization of casein and gluten by weanling rats, 579.
Taurine, urinary excretion by men, effect of isoniazid, 310.
TAYLOR, M. WIGHT. See Medici, John C., 307.
Teeth, molar, destruction in rats fed amino acid diets, 189.
Thiamine, radioactive, catabolism by rat as influenced by dietary intake and body thiamine stores, 491.
— requirement of guinea pig, effect of salt mixtures in diet on thiamine stability, 480.
THIELE, V. F. See Brin, Myron, 213.

Thyroid hormone and phosphorus loading, effects on renal calcification and mineral metabolism of rat, 361.
Thyroxine (D-) and fat, dietary, effect on incorporation of acetate-1-^{14}C into egg yolk lipids, 153.
TILLMAN, A. D. See Nelson, T. E., 475.
Time, stress, quality and quantity as factors in nonspecific nitrogen supplementation of corn protein for adult men, 377.
Tobacco-bedded stalls for horses, serum selenium, 60.
Tongue — a unique histopathologic lesion in the zinc-deficient squirrel monkey, parakeratosis of the, 511.
Toxicity, long-term rat feeding study with used frying fats, 337.
—, methionine and homocystine, alleviation in the rat, 44.
— of red kidney beans in the rat, 77.
— of water-soluble salts of casein and amino acids and polypeptides of hydrolyzed casein, in rats, 429.
—, tyrosine, effect of amino acids and cortisol, in rats, 317.
Trace metals in rat tissues as influenced by calcium in water, 331.
Transport, active, rate and site of L-lysine in fowl intestine, 198.
Tribolium confusum (Duval), interrelations among copper, zinc and cadmium in diet, 307.
Triglycerides, dietary, absorption and metabolism in germfree and conventional rats, 324.
Tryptophan metabolism, abnormal, effect of protein intake on development in men during vitamin B_6 depletion, 53.
TSAI, HUAN-CHANG CHOW. See Everson, Gladys J., 533.
Tuberculosis, effect of isoniazid on urinary excretion of taurine by men, 310.
TUCKER, R. E., G. E. MITCHELL, JR., AND C. O. LITTLE. Yellow pigments excreted by vitamin A-depleted sheep, 518.
TURK, D. E., AND J. F. STEPHENS. Upper intestinal tract infection produced by *E. acervulina* and absorption of ^{65}Zn and ^{131}I-labeled oleic acid, 161.
TYPPO, J. T. See Liu, Katherine C., 480.
Tyrosine toxicity, effects of amino acids and cortisol in rats, 317.

U

ULLREY, D. E. See Hendricks, D. G., 37.
Urea in blood plasma of starved lambs, 561.

V

Vegetable oils, disappearance data U. S. 1909–65, (Suppl. 1), 15.
VENKATARAMAN, S., D. K. BISWAS AND B. CONNOR JOHNSON. Effect of propionate on the induction of vitamin B_{12} deficiency in chicks and rats, 131.
Vitamer (vitamin B_6-) content and activities of two transaminase enzymes in rat tissues at varying intake levels of vitamin B_6, 213.
Vitamin A, added, and 6-aminonicotinamide, effect on fusion of embryonic rat palates in vitro, 252.
— A-depleted sheep, excretion of yellow pigments, 518.
— A derivatives in rat bile, natural occurrence and biological activity, 461.
— B_6 deficiency, effect of isoniazid on urinary excretion of taurine by men, 310.
— B_{12} deficiency in chicks and rats, effect of propionate, 131.
— B_6 depletion, effect of protein intake on development of abnormal tryptophan metabolism by men during, 53.
— B_6-vitamer content and activities of two transaminase enzymes in rat tissues at varying intake levels of vitamin B_6, 213.
— E and magnesium deficiency in rats, muscular degeneration, 87.
— E-depleted hens, antidystrophic effect of selenium on chicks, 470.
VITERI, FERNANDO. See Bressani, Ricardo, 349.
VOGEL, J. J., LEON SINGER AND W. D. ARMSTRONG. Skeletal magnesium changes in the rat during varying dietary fluoride intake and growth, 425.

W

WANG, TONG-IN. See Everson, Gladys J., 533.
WEISS, JOSEPH F., EDWARD C. NABER AND RALPH M. JOHNSON. Effect of dietary fat and cholesterol on the in vitro incorporation of acetate-^{14}C into hen liver and ovarian lipids, 142.
WEISS, JOSEPH F., EDWARD C. NABER AND RALPH M. JOHNSON. Effect of dietary fat and D-thyroxine on the incorporation of acetate-1-^{14}C into egg yolk lipids, 153.
WEISSMAN, N. See Cancilla, P. A., 438.
WIECH, NORBERT L., JAMES G. HAMILTON AND O. NEAL MILLER. Absorption and metabolism of dietary triglycerides in germfree and conventional rats, 324.
WILLIAMS, ELEANOR R. See Kies, Constance, 377.

Y

YAMADA, KOZO. See Kuzuya, Fumio, 280.
YANG, CHUNG-SHU, AND DONALD B. MCCORMICK. Degradation and excretion of riboflavin in the rat, 445.

Z

ZEMAN, FRANCES J. Effect on the young rat of maternal protein restriction, 167.
Zinc absorption by calves, effect of protein source and feeding method, 386.
Zinc-65 and iodine-131-labeled oleic acid absorption and upper intestinal tract infection produced by *E. acervulina* in chicks, 161.
Zinc, copper and cadmium in diet of Confused Flour Beetle, interrelations, 307.
— deficiency in squirrel monkey (*Saimiri sciureus*), 499.
— -deficient squirrel monkey, parakeratosis of the tongue — a unique histopathological lesion in the, 511.

— in rat tissues as influenced by calcium in water, 331.
Zinc-65, orally administered, effects of dietary EDTA and cadmium, on absorption, excretion and retention by normal and zinc-deficient goats and calves, 203.
Zinc, transmural movements by rat small intestine, 291.
Zinc·phytate complexes isolated from oil seed meals by in vitro digestion method, availability to chicks, 523.